

MATERIAL DATA SAFETY SHEET

ColorCopper.

Sculpt Nouveau – Copperlac Semi-gloss Lacquer

SECTION I - GENERAL INFORMATION

Manufacturer's Name: Colorcoppe.com

Manufacturer's Street: 5016 Spedale CT. #310

Manufacturer's City: Spring Hill

Manufacturer's State: TN

Manufacturer's Zip: 37174

Manufacturer's Phone: 1-888-565-3180

SECTION II - INGREDIENTS

Ingredients Proprietary

- Acetone
- Xylene
- Methanol
- **VOC Grams/Ltr** 746

NFPA Ratings

Health 2

Flammability 3

Reactivity 0

SECTION III - PHYSICAL DATA

No unusual fire or explosion hazards

Appearance and Odor: Clear liquid, mild non residual odor

- **Boiling Point** (172° F)
- **Vapor Pressure** (mm Hg.): Similar to water
- **Vapor Density** (AIR=1): Similar to water
- **Specific Gravity (Water=1)**: .806
- **Percent Volatile by Volume (%)**: Similar to water
- **Evaporation Rate (Water=1)**: Similar to water
- **Solubility in Water**: Soluble
- **Keep from freezing** store in cool dry place
- **Incompatibility materials to avoid** Strong oxidizing agents

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

- **Flash Point**: Above 86 ° F
- **Flammable Limits**: Lev 2 - 7
- **Extinguishing Media**: Water, CO₂ or dry chemical
- **Special Fire Fighting Procedures**: Wear self-contained breathing apparatus and full protective gear
- **Unusual Fire and Explosion Hazards**: None
- **Thermal decomposition** may produce carbon monoxide and /or carbon dioxide
- **Hazardous Polymerization**: Will not occur

SECTION V – FIRST AID MEASURES

May cause redness or irritation to skin and eyes

- **Eye**: Rinse with plenty of clean water
- **Skin**: Wash with soap and water
- **Inhalation**: Remove to fresh air seek medical attention if necessary
- **Ingestion**: Give water, milk of magnesia, induce vomiting. Contact physician

SECTION VI - SPILL OR LEAK PROCEDURES

Steps to be taken in Case Material is Released or Spilled: Do not discharge into natural water, collect and treat as required.

Waste Disposal Method: Destroy by liquid incineration or collect by absorbent material dispose in accordance with Federal, State and Local Regulations

SECTION VII - SPECIAL PROTECTION INFORMATION

Respiratory Protection (Specify Type): Use material in properly vented area
Ventilation:

- **When spraying** use NIOSH Canister for organics
- **Eye Protection** use NIOSH goggles or face shield
- **Protective Gloves:** Rubber :
- **Other Protective Equipment:** Rubber or plastic to prevent skin contact.
- Use air supplied mask in confined spaces

Section VIII - Transport Information

D.O.T. HAZARDOUS MATERIALS DESCRIPTION AND PROPER SHIPPING NAME:

D.O.T. = Flammable liquid

Label - flammable

Packing Group 111 Class/ Division - 8